

# PRODUCTS AT-A-GLANCE

2024 Landscape and Architectural Lighting



# ACCENT/UPLIGHT



# **AREA & PATH**

# STANDARD HATS (USE 12" or 18" STEM)



# COMMERCIAL HATS (USE 18" or 24" STEM) NOT COMPATIBLE WITH BT STEMS



# **AREA & PATH**

#### MODULAR PATH LIGHT STEM OPTIONS



# **COMPLETE PATH/AREA LIGHTS**



# **DOWN LIGHTS**



# WALL WASH



# **HARDSCAPE**

#### **LEDGE LIGHTS**



SL65-LED 4" width



SL60-BT bt 5" width





SL75-LED 7" width



**SL70** 5" width



SL85-LED 12" width



SL80-BT 12" width



# STEP LIGHTS (SURFACE MOUNT/BACKLESS)



SL25-LED

6" width

bt

OPTIONAL



SL26-LED 6" width







SL35-LED 9.5" width

SL36-LED 9.5" width

# **STEP LIGHTS** (STANDARD)





**SL300 SL200** 

# HARDSCAPE

### **WALL LIGHTS**



# **POST LIGHTS**



### **TAPE LIGHT**



**TAPE-LED** 

# IN-GROUND

### **WELL LIGHTS PAR36**



CGWL01



CGWL02



WL100



WL200



WL495-LED



**WL400-BT** 



WL300 Aimable MR-16

# IN-GROUND

### **BRASS BODY**







# **SPECIALTY**

#### **MINI LIGHTS**



ML15-LED



ML25-LED



ML35-LED



**ML65** 

# **UNDERWATER**



**UL100** 



UL395-LED

# **SPECIALTY AREA**



TIKI

### **POWER AND CONTROL**



#### **IT2 SERIES TRANSFORMERS**

App-controlled for on/off remote control and scheduling. Uses WiFi or Bluetooth to connect. Up to 3 individually-scheduled zones for maximum lighting control (example: walkway, tree lights, pergola).

Astronomic and clock-based timing.



įţ



#### XF SERIES TRANSFORMERS

150 watt and 300 watt models.

Rugged professional-grade multi-tap transformer sets the standard for ease of installation and adaptability with a full-range of contractor-friendly features. Stainless steel case. Ready to use with optional clock timer, photocell or iTimerPRO app-based control. 150, 300 and 600 watt models.





TF150

TF200/300

#### TF SERIES TRANSFORMERS

Offer an outstanding value with a rugged cabinet, easy wire connections, and built-in photocell and timer. Ideal for smaller systems and residential sites. TF200/300 have a digital multi-function timing system for convenience. TF150 is 150 watts. TF200 is 200 watts. TF300 is 300 watts.





iTimerPRO upgrades most standard transformers to app-based remote control and on-screen programming. Astronomic and clock-based schedules. It is the most popular way to quickly upgrade existing transformers to app-based control

transformers to app-based control and is compatible with a wide range of existing transformer brands.

# BT SYSTEM



Download the Free BT App



BTRE BTRE PLUGIN







Sunset Warm to Moonlight Bright

#### **BT SYSTEM APP**

Advance your landscape lighting designs to the next level with the full capabilities of the Alliance BT System. App controls a BT system from any iOS or Android mobile device (phone, tablet). Functions as a remote control for dimming, changing color temperatures, RGBW colors and more. Fixtures can be grouped within the app for easy application of lighting scenes. Provides ultimate convenience and customization from the palm of your hand.

#### **RANGE EXTENDERS**

Used to repeat BT signals to assure reliable communication to all fixtures. These are essential and mandatory to compensate for distance, obstructions, elevation changes, etc. that diminish signal strength. Multiple versions available for installation convenience. Request a copy of our BT System Guide for complete planning information.

#### **BT SYSTEM FIXTURES**

Onboard BT system capability is available on a wide selection of Alliance fixtures covering every possible landscape lighting need. Look for the BT system logo next to the fixture in this guide, or consult our catalog for more information.

#### **BT ALLY LAMPS**

Add the control capabilities of Alliance's BT System to existing lighting fixtures with BT Ally drop-in lamps. Like BT fixtures, these lamps offer RGB color adjustability, tunable white and dimming capability. Available in MR16, PAR36, G4, and A19.



# **LAMPS**

Alliance offers a full line of lamps to fit almost all 12 volt fixtures, including other brands.



**MR16** 4, 5, and 6 watt



MR8 / MR11 2 watt / 4 watt



**PAR36** 4, 8, and 10 watt



**G4 BI-PIN** 2.5, 3.0, and 3.5 watt



**3156 WEDGE** 2.5 and 3.5 watt



**T5 WEDGE** 2.5 watt



SC BAYONET 2.5 watt



DC BAYONET 2.5 watt

# **FINISH OPTIONS**



Aged Brass (Standard)



Premium Black Overcoat (Optional) -BLK

#### PREMIUM BLACK OVERCOAT



Black overcoat is applied to brass base.

# Alliance does black fixtures better, for a lifetime finish.

Our Premium Black Overcoat is applied to a BRASS fixture housing (not aluminum) so it's inherently corrosion-resistant in harsh environments. If the fixture is nicked or scratched by maintenance equipment, there's no chance of destructive corrosion and blistering of the finish common in aluminum fixtures.





www.allianceoutdoorlighting.com