

Effective February 1, 2025 Prices and specifications subject to change without notice.

TABLE OF CONTENTS

Accent / Uplights	4
BL50	4
BL110	4
HSC-BL1	4
HSC-BL2	4
HSC-BL3-BT	4
BL200	5
BL200-bt	5
BL900	6
BL900-bt	6
BL300	6
BL395-LED	6
BL400-bt	6
Area & Path	7
PL300	7
PL300-bt	7
PL600-LED	7
AL100	8
AL150	8
AL250	8
AL300	8
AL400	8
AL500	8
AL550	8
AL700	8
AL750	8
AL800	8
AL850	8
ALSTEM12	9
ALSTEM18	9
ALSTEM24	9
ALSTEMADJ	9
ALSTEM12-bt	9
ALSTEM18-bt	9
PL100	10
PL100-bt	10
HSC-PL1	10
HSC-PL2	11
HSC-PL3	11
HSC-PL4	12
PL200	12
PL250	13

BOLLARD100	13
Wall Wash	14
FL50	14
FL50-bt	14
FL100	14
FL200	14
FL200-bt	14
Down Lights	15
DL50	15
DL100	15
DL200	15
DL200-bt	15
HL100	16
HL100-bt	16
HL200	16
HL200-bt	16
In-Ground Lights	17
WL100	17
WL200	17
WL300	17
CGWL01	18
CGWL02	18
WL400-bt	18
WL495-LED	19
GL100	19
GL100-bt	19
GL150	19
GL150-bt	19
GL160	20
GL160-bt	20
GL170	20
GL170-bt	20
GL180	21
GL180-bt	21
GL190	21
GL190-bt	21
GL300	22
GL300-bt	22
GL310	22
GL310-bt	22
GL350	23
GL350-bt	23

GL360	23
GL360-bt	23
GL370	24
GL370-bt	24
GL380	24
GL380-bt	24
GL390	25
GL390-bt	25
GL100-TOP	25
GL150-TOP	25
GL160-TOP	25
GL170-TOP	25
GL180-TOP	25
GL190-TOP	25
GL300-TOP	26
GL310-TOP	26
GL350-TOP	26
GL360-TOP	26
GL370-TOP	26
GL380-TOP	26
GL390-TOP	26
Hardscape	27
Hardscape SL100	27 27
-	
SL100	27
SL100 SL150	27 27
SL100 SL150 SL25-LED	27 27 27
SL100 SL150 SL25-LED SL25-bt	27 27 27 27
SL100 SL150 SL25-LED SL25-bt SL35-LED	27 27 27 27 27
SL100 SL150 SL25-LED SL25-bt SL35-LED SL35-bt	27 27 27 27 27 27 27
SL100 SL150 SL25-LED SL25-bt SL35-LED SL35-bt SL26-LED	27 27 27 27 27 27 27 28
SL100 SL150 SL25-LED SL25-bt SL35-LED SL35-bt SL26-LED SL36-LED	27 27 27 27 27 27 27 28 28
SL100 SL150 SL25-LED SL25-bt SL35-LED SL35-bt SL26-LED SL36-LED SL200	27 27 27 27 27 27 27 28 28 28 28
SL100 SL150 SL25-LED SL25-bt SL35-LED SL35-bt SL26-LED SL26-LED SL200 SL300	27 27 27 27 27 27 27 28 28 28 28 28
SL100 SL150 SL25-LED SL25-bt SL35-LED SL35-bt SL26-LED SL36-LED SL200 SL300 SL300 SL65-LED	27 27 27 27 27 27 28 28 28 28 28 28 28 28
SL100 SL150 SL25-LED SL25-bt SL35-LED SL35-bt SL26-LED SL26-LED SL200 SL300 SL65-LED SL55-LED	27 27 27 27 27 27 28 28 28 28 28 28 28 28 28 28
SL100 SL150 SL25-LED SL25-bt SL35-LED SL35-bt SL26-LED SL36-LED SL200 SL300 SL65-LED SL75-LED SL85-LED	27 27 27 27 27 28 28 28 28 28 28 28 28 28 28 29 29
SL100 SL150 SL25-LED SL25-bt SL35-LED SL35-bt SL26-LED SL26-LED SL200 SL200 SL65-LED SL45-LED SL85-LED SL85-LED SL85-LED	27 27 27 27 27 28 28 28 28 28 28 28 28 28 28 29 29 29
SL100 SL150 SL25-LED SL25-bt SL35-LED SL35-bt SL26-LED SL26-LED SL200 SL300 SL65-LED SL65-LED SL65-LED SL85-LED SL85-LED SL85-LED	27 27 27 27 27 28 28 28 28 28 28 28 28 28 28 29 29 29 29 29 29
SL100 SL150 SL25-LED SL25-bt SL35-LED SL35-bt SL26-LED SL26-LED SL200 SL300 SL65-LED SL65-LED SL65-LED SL60-bt SL60-bt	27 27 27 27 27 28 28 28 28 28 28 28 28 28 28 29 29 29 29 29 29 29
SL100 SL150 SL25-LED SL25-bt SL35-LED SL35-LED SL35-bt SL26-LED SL36-LED SL300 SL400 SL400 SL400 SL300 SL400 SL700 SL700-bt SL80-bt	27 27 27 27 27 28 28 28 28 28 28 28 28 28 29 29 29 29 29 29 29 29 29 30
SL100 SL150 SL25-LED SL25-bt SL35-LED SL35-LED SL35-bt SL26-LED SL36-LED SL300 SL45-LED SL400 SL400 SL200 SL300 SL400 SL400	27 27 27 27 28 28 28 28 28 28 28 28 28 28 29 29 29 29 29 29 29 29 30 30

TABLE OF CONTENTS

TAPE-BT-15FT	30
TAPE-LED-5FT	30
TAPE-LED-3FT	30 30
TAPE-LED-15FT-LL	30
TAPE-LED-30FT	30
TAPE-SLV-3	31
WS100	31
W\$100	31
WS350-bt	31
Specialty	32
UL100	32
UL100-50FT	32
UL100-bt	32
UL395-LED	32
ML15-LED	32
ML25-LED	33
ML 35-LED	33
ML45-LED	33
ML55-LED	33
ML65-LED	33
GOLF100	34
GOLF50-bt	34
TIKI	35
ALSTEM60	35
ALSTEM60 Power & Control	35 36
Power & Control	36
Power & Control	36 36
Power & Control IT2-150 IT2-300	36 36 36
Power & Control IT2-150 IT2-300 XF150	36 36 36 36
Power & Control IT2-150 IT2-300 XF150 XF300	36 36 36 36 36
Power & Control IT2-150 IT2-300 XF150 XF300 XF600	36 36 36 36 36 36 36
Power & Control IT2-150 IT2-300 XF150 XF300 XF600 ITIMERPRO	36 36 36 36 36 36 36 37
Power & Control IT2-150 IT2-300 XF150 XF300 XF600 ITIMERPRO ITIMERPRO-2	36 36 36 36 36 36 37 37
Power & Control IT2-150 IT2-300 XF150 XF300 XF600 ITIMERPRO ITIMERPRO-2 PC	36 36 36 36 36 36 37 37 37
Power & Control IT2-150 IT2-300 XF150 XF300 XF600 ITIMERPRO ITIMERPRO-2 PC TIMER2	36 36 36 36 36 36 37 37 37 37 37
Power & Control IT2-150 IT2-300 XF150 XF300 XF600 ITIMERPRO ITIMERPRO-2 PC TIMER2 TF150	36 36 36 36 36 36 37 37 37 37 37 38
 Power & Control IT2-150 IT2-300 XF150 XF300 XF600 ITIMERPRO ITIMERPRO-2 PC TIMER2 TF150 TF200 	36 36 36 36 36 36 37 37 37 37 37 38 38
 Power & Control IT2-150 IT2-300 XF150 XF300 XF600 ITIMERPRO ITIMERPRO-2 PC TIMER2 TF150 TF200 TF300 	36 36 36 36 36 36 37 37 37 37 37 38 38 38 38
Power & Control IT2-150 IT2-300 XF150 XF300 XF300 ITIMERPRO ITIMERPRO-2 PC TIMER2 TF150 TF200 TF300 CS100	36 36 36 36 36 36 37 37 37 37 37 37 38 38 38 38 38 38
 Power & Control IT2-150 IT2-300 XF150 XF300 XF600 ITIMERPRO ITIMERPRO-2 PC TIMER2 TF150 TF200 TF300 CS100 CS150 	36 36 36 36 36 36 37 37 37 37 37 37 38 38 38 38 38 38 38 38

BTRE-SM	39
BTRE-PLUGIN	39
Accessories	42
TREEMOUNT	42
STAKE-P1	42
STAKE-P2	42
PERMAPOST	42
RMB	42
GUTTERMOUNT	42
L-ADAPTER	43
T-ADAPTER	43
A-LOC-50	43
RISER6	43
RISER12	43
RISER18	43
RISERADJ	43
CGWL01-GRATE	43
CGWL02-TOP	43
HEXLOUVER-MR16	44
HEXLOUVER-PAR36	44
MR16LENS-FROSTED	44
PAR36LENS-FROSTED	44
Demo Kits	45
DEMOKIT-8	45
DEMOKIT-8-bt	45
Lamps	46
BT-ALLY-MR16	46
BT-ALLY-PAR36	46
BT-ALLY-G4	46
BT-ALLY-A19	46
LMR11-LED-4W-F	47
LMR16-LED-4W-NS	47
LMR16-LED-4W-F	47
LMR16-LED-4W-WF	47
LMR16-LED-4W-250lm	47
LMR16-LED-4W-F-2700K	47
LMR16-LED-5W-NS	47
LMR16-LED-5W-F	47
LMR16-LED-5W-WF	47
LMR16-LED-5W-310lm	47
LMR16-LED-5W-F-2700K	47
LMR16-LED-6W-F	47

Warranty	51
Marketing Material	49
LBA15D-LED-200lm	48
LBA15S-LED-200lm	48
L921T5-LED-200lm	48
L3156-LED-250lm	48
L3156-LED-2001m	48
LBIPIN-LED-350lm	48
LBIPIN-LED-250lm	48
LBIPIN-LED-200lm	48
LPAR36-LED750LM	48
LPAR36-LED10W-WF	48
LPAR36-LED10W-F	48
LPAR36-LED8W-WF	48
LPAR36-LED8W-F	48
LPAR36-LED4W-WF	48
LPAR36-LED4W-F	48
LMR16-LED-6W-F-2700K	47

ACCENT / UPLIGHTS

BL50



Part #	With No Lamp	Price \$	Finish	Price \$	With MR11 Lamp	Price \$
BL50		84.00	Standard (Aged Brass)	+0.00	-LED4W (175lm)	122.59
			-BLK (Black Overcoat)	+0.00		

Description: Accent / Uplight, Cast Brass, Aged Brass Finish, Optional Black Overcoat, MR11 Socket (Lamp Not Included), Slotted 8.5" Ground Stake, Double Wire Lead (18 & 25')

To add optional lamp, add the suffix noted to the base part number. Example: BL50-LED4W for a BL50 with a 4W lamp.

BL110

Part #	With No Lamp	Price \$	Finish Options	Price \$	With MR16 Lamp	Price \$
BL110		98.41	Standard (Aged Brass)	+0.00	-LED4W (250lm)	129.79
			-BLK (Black Overcoat)	+0.00	-LED5W (310lm)	
					-LED6W (410lm)	137.00



Description: Accent / Uplight, Cast Brass, Aged Brass Finish, Optional Black Overcoat, MR16 Socket
(Lamp Not Included), Slotted 8.5" Ground Stake, Double Wire Lead (18" & 25')

To add optional finish or lamp, add the suffixes noted to the base part number. Example: BL110-LED4W for a BL110 with a 4W lamp. For additional beam angles see the lamps page 47.

HSC-BL1

Part #	With No Lamp	Price \$	Finish	Price \$	With MR16 Lamp	Price \$
HSC-BL1		168.80	Sand-Cast Bronze	+0.00	-LED4W (250lm)	200.18
					-LED5W (310lm)	
					-LED6W (410lm)	207.39

Description: Accent / Uplight, Cast Bronze, Sand Cast Bronze, MR16 Socket (Lamp Not Included), Cast Bronze 8.5" Ground Stake, Wire Lead (25')

To add optional lamp, add the suffix noted to the base part number. Example: HSC-BL1-LED4W for a HSC-BL1 with a 4W lamp. For additional beam angles see the lamps page 47.

ACCENT / UPLIGHTS

HSC-BL2




Part #	With No Lamp	Price \$	Finish	Price \$	With MR11 Lamp	Price \$
HSC-BL2		153.93	Sand-Cast Bronze	+0.00	-LED4W (175lm)	192.52

Description: Accent / Uplight, Cast Bronze, Sand Cast Bronze, MR11 Socket (Lamp Not Included), Cast Bronze 8.5" Ground Stake, Wire Lead (25')

To add optional lamp, add the suffix noted to the base part number. Example: HSC-BL2-LED4W for a HSC-BL2 with a 4W lamp. For additional beam angles see the lamps page 47.


HSC-BL3

Part #	Price \$	With LED Module	Finish	Price \$
HSC-BL3-BT	268.54	Integrated bt Module (Bluetooth RGBW)	Sand-Cast Bronze	+0.00



Description: Accent / Uplight, Cast Bronze, Sand Cast Bronze, Integratede bt Module, Cast Bronze 8.5"	
Ground Stake, Wire Lead (25')	

BL200



bt

Part #	With No Lamp	Price \$	Finish Options	Price \$	With MR16 Lamp	Price \$
BL200		121.45	Standard (Aged Brass)	+0.00	-LED4W (250lm)	152.83
			-BLK (Black Overcoat)	+0.00	-LED5W (310lm)	
					-LED6W (410lm)	160.04

Description: Accent / Uplight, Cast Brass, Aged Brass Finish, Optional Black Overcoat, MR16 Socket (Lamp Not Included), Slotted 8.5" Ground Stake, Double Wire Lead (18" & 25')


Part #	Price \$	With LED Module	Finish	Price \$
BL200-bt 228.56		Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: Accent / Uplight, Cast Brass, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, Slotted 8.5" Ground Stake, Double Wire Lead (18" & 25')

To add optional finish or lamp, add the suffixes noted to the base part number. Example: BL200-LED4W for a BL200 with a 4W lamp. For additional beam angles see the lamps page 47.

ACCENT / UPLIGHTS

BL900



Part #	With No Lamp	Price \$	Finish	Price \$	With MR16 Lamp	Price \$
BL900		129.23	Standard (Aged Brass)	+0.00	-LED4W (250lm)	160.61
			-BLK (Black Overcoat)	+0.00	-LED5W (310lm)	
					-LED6W (410lm)	167.82

Description: Accent / Uplight, Cast Brass, Aged Brass Finish, Optional Black Overcoat, MR16 Socket (Lamp Not Included), Slotted 8.5" Ground Stake, Double Wire Lead (18" & 25')

To add optional lamp, add the suffix noted to the base part number. Example: BL900-LED4W for a BL900 with a 4W lamp. For additional beam angles see the lamps page 47.

Part #	Price \$	With LED Module	Finish	Price \$
BL900-bt	236.34	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: Accent / Uplight, Cast Brass, Aged Brass Finish, Optional Black Overcoat,Integrated bt Module, Slotted 8.5" Ground Stake, Double Wire Lead (18" & 25')





Part #	With No Lamp	Price \$	Finish Options	Price \$	With PAR36 Lamp	Price \$
BL300		158.51	Standard (Aged Brass)	+0.00	-LED4W (250lm)	245.59
			-BLK (Black Overcoat)	+0.00	-LED8W (300lm)	261.78
					-LED10W (400lm)	278.56

Description: Accent / Uplight, Cast Brass, Aged Brass Finish, Optional Black Overcoat, Spade Connectors for LPAR36 (Lamp Not Included), Slotted 8.5" Large Ground Stake, Double Wire Lead (18" & 25')

To add optional finish or lamp, add the suffixes noted to the base part number. Example: BL300-BLK-LED4W for a BL300 with black overcoat and a 4W lamp. For additional beam angles see the lamps page 47.

BL395-LED
BL400-bt

Part #	Price \$	With LED Module	Finish	Price \$
BL395-LED	259.01	Integrated 1,200 Lumen LED Module (3000k)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00



bt

Description: Accent / Uplight, Cast Brass, Aged Brass Finish, Optional Black Overcoat, Integrated 1200
Lumen LED Included, Slotted 8.5" Large Ground Stake, Double Wire Lead (18" & 25')

Part #	Price \$	With LED Module	Finish	Price \$
BL400-bt 301.01		Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: Accent / Uplight, Cast Brass, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module Included, Slotted 8.5" Large Ground Stake, Double Wire Lead (18" & 25')

PL300

Part #	With No Lamp	Price \$	Finish Options	Price \$	With G4 Lamp	Price \$
PL300		103.04	Standard (Aged Brass)	+0.00	-LED (200lm)	128.15
			-BLK (Black Overcoat)	+0.00		

Description: Area & Path Light, Solid Brass, Aged Brass Finish, Optional Black Overcoat, G4 Bi-Pin Socket (Lamp Not Included), Slotted 8.5" Large Ground Stake, Double Wire Lead (18" & 25')

To add optional finish or lamp, add the suffixes noted to the base part number. Example: PL300-BLK-LED for a PL300 in black overcoat with the LBIPIN-LED-200Im lamp included.

Part #	Price \$	With LED Module	Finish Options	Price \$
PL300-bt 245.05 Integrated bt Module (Blu		Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: Area & Path Light, Solid Brass, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, Slotted 8.5" Large Ground Stake, Double Wire Lead (18" & 25')

To add optional finish or lamp, add the suffixes noted to the base part number. Example: PL300-bt-BLK for a PL300-bt in black overcoat.

PL600-LED

bt

Part #	Price \$	With LED Module	Finish Options	Price \$
PL600-LED	L600-LED 244.00 Integrated LED Module (3000k)		Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: Area & Path Light, Solid Brass, Aged Brass Finish, Optional Black Overcoat, Integrated LED Module, Slotted 14" Giant Ground Stake, Double Wire Lead (18" & 25')

To add optional finish, add the suffixes noted to the base part number. Example: PL600-LED-BLK for a PL600-LED with a black overcoat.

AL100	Part #	Price \$	Finish Options	AL150	Part #	Price \$	Finish Options
<u>A</u>	AL100	51.41	Standard (Aged Brass)		AL150	60.75	Standard (Aged Brass)
6.75″			-BLK (Black Overcoat)	6.25"			-BLK (Black Overcoat)
AL250	Part #	Price \$	Finish Options	AL300	Part #	Price \$	Finish
	AL250	68.22	Standard (Aged Brass)		AL300	75.29	Standard (Aged Brass)
7.75"			-BLK (Black Overcoat)	6.25″			-BLK (Black Overcoat)
AL400	Part #	Price \$	Finish	AL500	Part #	Price \$	Finish
$\widehat{}$	AL400	68.22	Standard (Aged Brass)	$\widehat{}$	AL500	41.82	Standard (Aged Brass)
ALL COLOR CHART			-BLK (Black Overcoat)	5″			-BLK (Black Overcoat)
7.5"	L						
AL550	Part #	Price \$	Finish Options				
	AL550	31.78	Standard (Aged Brass)				
1.5"			-BLK (Black Overcoat)				

Description: Area & Path Hat, Cast Brass, Aged Brass Finish, Optional Black Overcoat, Includes Frosted and Clear Plastic Lenses with Rubber Gaskets

To add optional finish, add the suffix noted to the base part number. Example: AL550-BLK for a AL550 in black overcoat.

AL700	Part #	Price \$	Finish	AL750	Part #	Price \$	Finish
	AL700	126.42	Standard (Aged Brass)		AL750	177.82	Standard (Aged Brass)
			-BLK (Black Overcoat)				-BLK (Black Overcoat)
8.5"				9″			
AL800	Part #				D 1 11		
	i ui t #	Price \$	Finish	AL850	Part #	Price \$	Finish
	AL800	148.04	Finish Standard (Aged Brass)	AL850	AL850	Price \$ 145.46	Finish Standard (Aged Brass)
			Standard	AL850			Standard

Description: Area & Path Hat, Cast Brass, Aged Brass Finish, Optional Black Overcoat, Includes a Frosted Lens and Aged Brass Collar

Note: AL700, AL750, AL800, AL850 are not compatible with the ALSTEM12-BT or ALSTEM18-BT stems.

ALSTEM12 ALSTEM18 ALSTEM24 ALSTEM60

Ĺ	Q	2
		ļ

Part #	With No Lamp	Finish Options		With G4 Lamp	Price \$
ALSTEM12	90.30	Standard (Aged Brass)	+0.00	-LED (200lm)	115.41
ALSTEM18	97.90	-BLK (Black Overcoat)	BLK (Black Overcoat) +0.00		
ALSTEM24	119.95			-LED (200lm)	145.06
ALSTEM60	261.68			-LED (200lm)	286.79

Description: Area & Path Light Stem, Cast Brass, Aged Brass Finish, Optional Black Overcoat, G4 Bi-Pin Socket (Lamp Not Included), Adjustable Collar, Slotted 8.5" Large Ground Stake, Double Wire Lead (18" & 25')

To add optional finish or lamp, add the suffixes noted to the base part number. Example: ALSTEM12-BLK-LED for a ALSTEM12 in black overcoat with the LBIPIN-LED-200Im lamp included.

ALSTEM60 pictured on page 35

ALSTEM12-BT ALSTEM18-BT


Part #	Price \$	With LED Module	Finish Options	
ALSTEM12-bt	193.65	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass) +C	
ALSTEM18-bt	201.55		-BLK (Black Overcoat)	+0.00

Description: Area & Path Light Stem, Cast Brass, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, Adjustable Collar, Slotted 8.5" Large Ground Stake, Double Wire Lead (18" & 25')

To add optional finish, add the suffix noted to the base part number. Example: ALSTEM12-bt-BLK for a ALSTEM12-bt in black overcoat.

bt

PL100



Part #	With No Lamp	Price \$	Finish Options	Price \$	With G4 Lamp	Price \$
PL100		163.28	Standard (Aged Brass)	+0.00	-LED (200lm)	188.39
			-BLK (Black Overcoat)	+0.00		

Description: Area & Path Light, Solid Brass, Aged Brass Finish, Optional Black Overcoat, G4 Bi-Pin Socket (Lamp Not Included), Slotted 8.5" Large Ground Stake, Double Wire Lead (18" & 25')


To add optional finish or lamp, add the suffixes noted to the base part number. Example: PL100-BLK-LED for a PL100 in black overcoat with the LBIPIN-LED-200Im lamp included.

Part #	Price \$	With LED Module	Finish Options	Price \$
PL100-bt	PL100-bt 269.52 Integrated bt Module (Bluetooth RGBW)		Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: Area & Path Light, Solid Brass, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, Slotted 8.5" Large Ground Stake, Double Wire Lead (18" & 25')

HSC-PL1


Part #	With No Lamp	Price \$	Finish	Price \$	With G4 Lamp	Price \$
HSC-PL1		211.11	Sand-Cast Bronze	+0.00	-LED (200lm)	236.22



pescription: Area & Path Light, Cast Bronze, Sand Cast Bronze, G4 Bi-Pin Socket (Lamp Not Included),
ast Bronze 8.5" Ground Stake, Wire Lead (25')

To add optional lamp, add the suffix noted to the base part number. Example: HSC-PL1-LED for a HSC-PL1 with a LBIPIN-LED-200Im lamp included.

HSC-PL2




Part #	With No Lamp	Price \$	Finish	Price \$	With G4 Lamp	Price \$			
HSC-PL2		388.77	Sand-Cast Bronze	+0.00	-LED (200lm)	413.88			
	Description: Area & Path Light, Cast Bronze, Sand Cast Bronze, G4 Bi-Pin Socket (Lamp Not Included), Cast Bronze 8.5" Ground Stake, Wire Lead (25')								

To add optional lamp, add the suffix noted to the base part number. Example: HSC-PL2-LED for a HSC-PL2 with a LBIPIN-LED-200Im lamp included.




Part #	With No Lamp	Price \$	Finish	Price \$	With G4 Lamp	Price \$
HSC-PL3		366.74	Sand-Cast Bronze	+0.00	-LED (200lm)	391.85



Description: Area & Path Light, Cast Bronze, Sand Cast Bronze, G4 Bi-Pin Socket (Lamp Not Included), Cast Bronze 8.5" Ground Stake, Wire Lead (25')

To add optional lamp, add the suffix noted to the base part number. Example: HSC-PL3-LED for a HSC-PL3 with a LBIPIN-LED-200Im lamp included.






Part #	With No Lamp	Price \$	Finish	Price \$	With G4 Lamp	Price \$
HSC-PL4		225.65	Sand-Cast Bronze	+0.00	-LED (200lm)	250.76

Description: Area & Path Light, Cast Bronze, Sand Cast Bronze, G4 Bi-Pin Socket (Lamp Not Included), Cast Bronze 8.5" Ground Stake, Wire Lead (25')

To add optional lamp, add the suffix noted to the base part number. Example: HSC-PL4-LED for a HSC-PL4 with a LBIPIN-LED-200Im lamp included.





Part #	With No Lamp	Price \$	Finish	Price \$	With G4 Lamp	Price \$
PL200		178.79	Standard (Aged Brass)	+0.00	-LED (200lm)	203.90
			-BLK (Black Overcoat)	+0.00		

Description: Area & Path Light, Solid Brass, Aged Brass Finish, Optional Black Overcoat, Adjustable Stem, G4 Bi-Pin Socket (Lamp Not Included), Solid Brass Ground Stake, Double Wire Lead (18" & 25')

To add optional lamp, add the suffix noted to the base part number. Example: PL200-LED for a PL200 with the LBIPIN-LED-200Im lamp included.

PL250



Part #	With No Lamp	Price \$	Finish	Price \$	With G4 Lamp	Price \$
PL250		160.88	Standard (Aged Brass)	+0.00	-LED (200lm)	185.99
			-BLK (Black Overcoat)	+0.00		

Description: Area & Path Light, Solid Brass, Aged Brass Finish, Optional Black Overcoat, Adjustable Stem, G4 Bi-Pin Socket (Lamp Not Included), Solid Brass Ground Stake, Double Wire Lead (18" & 25')

To add optional lamp, add the suffix noted to the base part number. Example: PL250-LED for a PL250 with the LBIPIN-LED-200Im lamp included.






Part #	With No Lamp	Price \$	Finish Options	Price \$	With G4 Lamp	Price \$
BOLLARD100		370.74	Standard (Aged Brass)	+0.00	-LED (350lm)	395.85
			-BLK (Black Overcoat)	+0.00		

Description: Area & Path Light, Brass 3-Tier Cover and Louvers, Stainless Steel Post, Aged Brass Finish, Optional Black Overcoat, G4 Bi-Pin Socket (Lamp Not Included), Aluminum Mounting Base, Three Anchor L-Bolts, Wire Lead (36")

To add optional finish or lamp, add the suffixes noted to the base part number. Example: BOLLARD100-BLK-LED for a BOLLARD100 in black overcoat with the LBIPIN-LED-350Im lamp included.

WALL WASH

FL50



Part #	With No Lamp	Price \$	Finish	Price \$	With G4 Lamp	Price \$	Frosted	Face Plate
FL50		113.64	Standard (Aged Brass)	+0.00	-LED (200lm) -LED250lm (250lm)	138.75	-FFP	+0.00
		-BLK (Black Overcoat)	+0.00					

Description: Wall Wash Light, Cast Brass, Aged Brass Finish, Optional Black Overcoat, G4 Bi-Pin Socket (Lamp Not Included), Slotted 8.5" Ground Stake, Double Wire Lead (18" & 25')

To add optional finish, lens, or lamp, add the suffixes noted to the base part number. Example: FL50-FFP-LED for a FL50 with the frosted face plate with the LBIPIN-LED-200Im lamp included.

Part #	Price \$	With LED Module	Finish Options	Price \$
FL50-bt	217.92	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: Wall Wash Light, Cast Brass, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, Slotted 8.5" Ground Stake, Double Wire Lead (18" & 25')

To add optional finish or lamp, add the suffixes noted to the base part number. Example: FL50-bt-BLK for a FL50-bt in black overcoat.

FL100



Part #	With No Lamp	Price \$	Finish	Price \$	With G4 Lamp	Price \$	Frosted Face	Plate
FL100		122.10	Standard (Aged Brass)	+0.00	-LED (200lm) -LED250lm (250lm)	147.21	-FFP	+0.00
		-BLK (Black Overcoat)	+0.00					

Description: Wall Wash Light, Cast Brass, Aged Brass Finish, Optional Black Overcoat, G4 Bi-Pin Socket (Lamp Not Included), Slotted 8.5" Ground Stake, Double Wire Lead (18" & 25')

To add optional finish, lens, or lamp, add the suffixes noted to the base part number. Example: F100-FFP-LED for a FL100 with the frosted face plate with the LBIPIN-LED-200Im lamp included.

FL200

P

F



Part #	With No Lamp	Price \$	Finish Options	Price \$	With MR16 Lamp	Price \$
-L200		216.91	Standard (Aged Brass)	+0.00	-LED4W (250lm)	248.29
			-BLK (Black Overcoat)	+0.00	-LED5W (310lm)	
					-LED6W (410lm)	255.50

Description: Wall Wash Light, Cast Brass, Aged Brass Finish, Optional Black Overcoat, Faceplate with Clear Lens, Optional Frosted Lens, MR16 Socket (Lamp Not Included), Slotted 8.5" Large Ground Stake, Double Wire Lead (18" & 25')

To add optional finish or lamp, add the suffixes noted to the base part number. Example: FL200-BLK-LED for a FL200 in black overcoat and a 4W lamp. For additional beam angles see the lamps page 47.

Part #	Price \$	With LED Module	Finish	Price \$
FL200-bt	360.57	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: Wall Wash Light, Cast Brass, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, Slotted 8.5" Large Ground Stake, Double Wire Lead (18" & 25')

DOWN LIGHTS





Part #	With No Lamp	Price \$	Finish	Price \$	With MR11 Lamp	Price \$
DL50		104.87	Standard (Aged Brass)	+0.00	-LED4W (175lm)	143.46
		-BLK (Black Overcoat)	+0.00			

Description: Down Light, Cast Brass, Aged Brass Finish, Optional Black Overcoat, MR11 Socket (Lamp Not Included), Round Canopy Mounting Base, Wire Lead (25')

To add optional lamp, add the suffix noted to the base part number. Example: DL50-LED4W for a DL50 with a 4W lamp.





Part #	With No Lamp	Price \$	Finish	Price \$	With MR16 Lamp	Price \$
DL100		141.27	Standard (Aged Brass)	+0.00	-LED4W (250lm)	172.59
	^		-BLK (Black Overcoat)	+0.00	-LED5W (310lm)	
					-LED6W (410lm)	179.86

Description: Down Light, Cast Brass, Aged Brass Finish, Optional Black Overcoat, MR16 Socket (Lamp Not Included), Brass Tree-Mounted Bracket and Brass Nut, Wire Lead (25')

To add optional finish or lamp, add the suffixes noted to the base part number. Example: DL100-LED4W for a DL100 with a 4W lamp. For additional beam angles see the lamps page 47.

DL200



Part #	With No Lamp	Price \$	Finish Options	Price \$	With MR16 Lamp	Price \$
DL200		167.32	Standard (Aged Brass)	+0.00	-LED4W (250lm)	198.70
			-BLK (Black Overcoat)	+0.00	-LED5W (310lm)	
					-LED6W (410lm)	205.91

Description: Down Light, Cast Brass, Aged Brass Finish, Optional Black Overcoat, MR16 Socket (Lamp Not Included), Brass Tree-Mounted Bracket and Brass Nut, Wire Lead (25')


To add optional finish or lamp, add the suffixes noted to the base part number. Example: DL200-BLK-LED4W for a DL200 with black overcoat and a 4W lamp. For additional beam angles see the lamps page 47.

Part #	Price \$	With LED Module	Finish	Price \$
DL200-bt	273.75	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	

Description: Down Light, Cast Brass, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, Brass Tree-Mounted Bracket and Brass Nut, Wire Lead (25')

DOWN LIGHTS

HL100



Part #	With No Lamp	Price \$	Finish	Price \$	With MR16 Lamp	Price \$
HL100		142.11	Standard (Aged Brass)	+0.00	-LED4W (250lm)	173.49
			-BLK (Black Overcoat)	+0.00	-LED5W (310lm)	
					-LED6W (410lm)	180.70

Description: Down Light, Cast Brass, Aged Brass Finish, Optional Black Overcoat, MR16 Socket (Lamp Not Included), 18" Hanging Chain, Wire Lead (25')

To add optional lamp, add the suffixes noted to the base part number. Example: HL100-LED for a HL100 with a 4W lamp. For additional beam angles see the lamps page 47.

Part #	Price \$	With LED Module	Finish	Price \$
HL100-bt	247.53	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: Down Light, Cast Brass, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, 18" Hanging Chain, Wire Lead (25')



(
0	0	0	
0	0	0	
0	0	0	
0	0	0	
°		$\hat{\mathbf{D}}$	DPTIONAL

Part #	With No Lamp	Price \$	Finish	Price \$	With G4 Lamp	Price \$
HL200		145.25	Standard (Aged Brass)	+0.00	-LED (200lm)	170.36
			-BLK (Black Overcoat)	+0.00		

Description: Down Light, Cast Brass, Aged Brass Finish, Optional Black Overcoat, G4 Bi-Pin Socket (Lamp Not Included), 18" Hanging Chain, Wire Lead (25')

To add optional lamp, add the suffixes noted to the base part number. Example: HL200-LED for a HL200 with the LBIPIN-LED-200Im lamp included.

Part #	Price \$	With LED Module	Finish	Price \$
HL200-bt	250.78	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: Down Light, Cast Brass, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, 18" Hanging Chain, Wire Lead (25')

WL100



Part #	With No Lamp	Price \$	Finish	Price \$	With PAR36 Lamp	Price \$
WL100		93.14	Standard (Black)	+0.00	-LED4W (250lm)	180.22
					-LED8W (300lm)	196.41
					-LED10W (400lm)	213.19

Description: In-Ground Light, ABS Plastic Can, ABS Grated Lid, Spade Connectors for LPAR36 (Lamp Not Included), Double Wire Lead (18" & 25')

To add optional lamp, add the suffix noted to the base part number. Example: WL100-LED4W for a WL100 with a 4W lamp. For additional beam angles see the lamps page 47.

WL200



Part #	With No Lamp	Price \$	Finish	Price \$	With PAR36 Lamp	Price \$
WL200		117.24	Standard (Aged Brass)	+0.00	-LED4W (250lm)	204.32
			-BLK (Black Overcoat)	+0.00	-LED8W (300lm)	220.51
					-LED10W (400lm)	237.29

Description: In-Ground Light, ABS Plastic Can, Cast Brass Lid, Aged Brass Finish, Optional Black Overcoat, Spade Connectors for LPAR36 (Lamp Not Included), Double Wire Lead (18" & 25')

To add optional lamp, add the suffix noted to the base part number. Example: WL200-LED4W for a WL200 with a 4W lamp. For additional beam angles see the lamps page 48.



WL300

Part #	With No Lamp	Price \$	Finish	Price \$	With MR16 Lamp	Price \$
WL300		235.23	Standard (Aged Brass)	+0.00	-LED4W (250lm)	266.61
			-BLK (Black Overcoat)	+0.00	-LED5W (310lm)	
					-LED6W (410lm)	273.82

Description: In-Ground Light, ABS Plastic Can, Cast Brass Lid, Aged Brass Finish, Optional Black Overcoat, Aimable and Adjustable Lamp Assembly, MR16 Socket (Lamp Not Included), Double Wire Lead (18" & 25')

To add optional lamp, add the suffix noted to the base part number. Example: WL300-LED4W for a WL300 with a 4W lamp. For additional beam angles see the lamps page 47.

CGWL01



Part #	With No Lamp	Price \$	Finish Options	Price \$	With PAR36 Lamp	Price \$
CGWL01		187.50	Standard (Aged Brass)	+0.00	-LED4W (250lm)	274.58
			-BLK (Black Overcoat)	+0.00	-LED8W (300lm)	290.77
					-LED10W (400lm)	307.55

Description: In-Ground Light, ABS Plastic Can, Heavy Duty Brass Grated Lid, Aged Brass Finish, Optional Black Overcoat, Spade Connectors for LPAR36 (Lamp Not Included), Double Wire Lead (18" & 25')

To add optional finish or lamp, add the suffixes noted to the base part number. Example: CGWL01-BLK-LED4W for a CGWL01 with black overcoat and a 4W lamp. For additional beam angles see the lamps page 48.

CGWL02



Part #	With No Lamp	Price \$	Finish Options	Price \$	With PAR36 Lamp	Price \$
CGWL02		187.50	Standard (Aged Brass)	+0.00	-LED4W (250lm)	274.58
			-BLK (Black Overcoat)	+0.00	-LED8W (300lm)	290.77
					-LED10W (400lm)	307.55

Description: In-Ground Light, ABS Plastic Can, Heavy Duty Brass Lid, Aged Brass Finish, Optional Black Overcoat, Spade Connectors for LPAR36 (Lamp Not Included), Double Wire Lead (18" & 25')

To add optional finish or lamp, add the suffixes noted to the base part number. Example: CGWL02-BLK-LED4W for a CGWL02 with black overcoat and a 4W lamp. For additional beam angles see the lamps page 48.



WL400-bt

Part #	Price \$	With LED Module	Finish Options	Price \$
WL400-bt	285.88	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: In-Ground Light, ABS Plastic Can, Cast Brass Lid, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, Double Wire Lead (18" & 25')

To add optional finish, add the suffix noted to the base part number. Example: WL400-BT-BLK for a black overcoat.

WL495-LED



Part #	Price \$	With LED Module	Finish	Price \$
WL495-LED	259.01	Integrated 1,200 Lumen LED Module (3000k)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

In-Ground Light, ABS Plastic Can, Cast Brass Lid, Aged Brass Finish, Optional Black Overcoat, Integrated 1200 Lumen LED Included, Double Wire Lead (18" & 25')

GL100



Part #	With No Lamp	Price \$	Finish Options	Price \$	With MR16 Lamp	Price \$
GL100		150.76	Standard (Aged Brass)		-LED4W (250lm)	182.14
			-BLK (Black Overcoat)	+0.00	-LED5W (310lm)	
					-LED6W (410lm)	189.35

Description: In-Ground Light, Cast Brass, Shroud with Convex Lens, Aged Brass Finish, Optional Black Overcoat, MR16 Socket (Lamp Not Included), 2.75" PVC Installation Sleeve, Double Wire Lead (18" & 25')

To add optional finish or finish or lamp, add the suffix noted to the base part number. Example: GL100-BLK-LED4W for a GL100 with a black overcoat and a 4W lamp. For additional beam angles see the lamps page 47.

Part #	Price \$	With LED Module	Finish Options	Price \$
GL100-bt	255.85	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: In-Ground Light, Cast Brass, Shroud with Convex Lens, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, 2.75" PVC Installation Sleeve, Double Wire Lead (18" & 25')

To add optional finish, add the suffix noted to the base part number. Example: GL100-BT-BLK for a GL100-BT with a black overcoat.

GL150



Part #	With No Lamp	Price \$	Finish Options	Price \$	With MR16 Lamp	Price \$
GL150		150.76	Standard (Aged Brass)	+0.00	-LED4W (250lm)	182.14
			-BLK (Black Overcoat)	+0.00	-LED5W (310lm)	
					-LED6W (410lm)	189.35

Description: In-Ground Light, Cast Brass, Flat Lid with Convex Lens, Aged Brass Finish, Optional Black Overcoat, MR16 Socket (Lamp Not Included), 2.75" PVC Installation Sleeve, Double Wire Lead (18" & 25')

To add optional finish or lamp, add the suffix noted to the base part number. Example: GL150-BLK-LED4W for a GL150 with a black overcoat and a 4W lamp. For additional beam angles see the lamps page 47

Part #	Price \$	With LED Module	Finish Options	Price \$
GL150-bt	255.85	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: In-Ground Light, Cast Brass, Flat Lid with Convex Lens, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, 2.75" PVC Installation Sleeve, Double Wire Lead (18" & 25')

To add optional finish, add the suffix noted to the base part number. Example: GL150-BT-BLK for a GL150-BT with a black overcoat.

GL160



Part #	With No Lamp	Price \$	Finish Options	Price \$	With MR16 Lamp	Price \$
GL160		167.82	Standard (Aged Brass)	+0.00	-LED4W (250lm)	199.20
			-BLK (Black Overcoat)	+0.00	-LED5W (310lm)	
					-LED6W (410lm)	206.41

Description: In-Ground Light, Cast Brass, Grated Lid with Convex Lens, Aged Brass Finish, Optional Black Overcoat, MR16 Socket (Lamp Not Included), 2.75" PVC Installation Sleeve, Double Wire Lead (18" & 25')

To add optional finish or lamp, add the suffix noted to the base part number. Example: GL160-BLK-LED4W for a GL160 with a black overcoat and a 4W lamp. For additional beam angles see the lamps page 47

Part #	Price \$	With LED Module	Finish Options	Price \$
GL160-bt	272.92	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: In-Ground Light, Cast Brass, Grated Lid with Convex Lens, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, 2.75" PVC Installation Sleeve, Double Wire Lead (18" & 25')

To add optional finish, add the suffix noted to the base part number. Example: GL160-BT-BLK for a GL160-BT with a black overcoat.



GL170

Part #	With No Lamp	Price \$	Finish Options	Price \$	With MR16 Lamp	Price \$
GL170		167.82	Standard (Aged Brass)		-LED4W (250lm)	199.20
			-BLK (Black Overcoat)	+0.00	-LED5W (310lm)	
					-LED6W (410lm)	206.41

Description:In-Ground Light, Cast Brass, Opposing Sides Lid with Flat Lens, Aged Brass Finish, Optional Black Overcoat, MR16 Socket (Lamp Not Included), 2.75" PVC Installation Sleeve, Double Wire Lead (18" & 25')

To add optional finish or lamp, add the suffix noted to the base part number. Example: GL170-BLK-LED4W for a GL170 with a black overcoat and a 4W lamp. For additional beam angles see the lamps page 47.

Part #	Price \$	With LED Module	Finish Options	Price \$
GL170-bt	272.92	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: In-Ground Light, Cast Brass, Opposing Sides Lid with Flat Lens, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, 2.75" PVC Installation Sleeve, Double Wire Lead (18" & 25')

To add optional finish, add the suffix noted to the base part number. Example: GL170-BT-BLK for a GL170-BT with a black overcoat.

GL180



Part #	With No Lamp	Price \$	Finish Options	Price \$	With MR16 Lamp	Price \$
GL180		167.82	Standard (Aged Brass)		-LED4W (250lm)	199.20
			-BLK (Black Overcoat)	+0.00	-LED5W (310lm)	
					-LED6W (410lm)	206.41

Description: In-Ground Light, Cast Brass, 180° Output Lid With Flat Lens, Aged Brass Finish, Optional Black Overcoat, MR16 Socket (Lamp Not Included), 2.75" PVC Installation Sleeve, Double Wire Lead (18" & 25')

To add optional finish or lamp, add the suffix noted to the base part number. Example: GL180-BLK-LED4W for a GL180 with a black overcoat and a 4W lamp. For additional beam angles see the lamps page 47.

Part #	Price \$	With LED Module	Finish Options	Price \$
GL180-bt	272.92	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: In-Ground Light, Cast Brass, 180° Output Lid With Flat Lens, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, 2.75" PVC Installation Sleeve, Double Wire Lead (18" & 25')

To add optional finish, add the suffix noted to the base part number. Example: GL180-BT-BLK for a GL180-BT with a black overcoat.



GL190

Part #	With No Lamp	Price \$	Finish Options	Price \$	With MR16 Lamp	Price \$
GL190		167.82	Standard (Aged Brass)	+0.00	-LED4W (250lm)	199.20
			-BLK (Black Overcoat)	+0.00	-LED5W (310lm)	
					-LED6W (410lm)	206.41

Description: In-Ground Light, Cast Brass, 360 Output Lid with Flat Lens, Aged Brass Finish, Optional Black Overcoat, MR16 Socket (Lamp Not Included), 2.75" PVC Installation Sleeve, Double Wire Lead (18" & 25')

To add optional finish or lamp, add the suffix noted to the base part number. Example: GL190-BLK-LED4W for a GL190 with a black overcoat and a 4W lamp. For additional beam angles see the lamps page 47.

Part #	Price \$	With LED Module	Finish Options	Price \$
GL190-bt	272.92	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: In-Ground Light, Cast Brass, 360 Output Lid with Flat Lens, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, 2.75" PVC Installation Sleeve, Double Wire Lead (18" & 25')

To add optional finish, add the suffix noted to the base part number. Example: GL190-BT-BLK for a GL190-BT with a black overcoat.

GL300



Part #	With No Lamp	Price \$	Finish Options	Price \$	With MR16 Lamp	Price \$
GL300		97.34	Standard (Aged Brass)	+0.00	-LED4W (250lm)	128.72
			-BLK (Black Overcoat)	+0.00	-LED5W (310lm)	
					-LED6W (410lm)	135.93

Description: In-Ground Light, ABS Composite Body, Cast Brass Flat Lid, Aged Brass Finish, Optional Black Overcoat, MR16 Socket (Lamp Not Included), Wire Lead (60")

To add optional finish or lamp, add the suffix noted to the base part number. Example: GL300-BLK-LED4W for a GL300 with a black overcoat and a 4W lamp. For additional beam angles see the lamps page 47.

Part #	Price \$	With LED Module	Finish Options	Price \$
GL300-bt	228.73	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: In-Ground Light, ABS Composite Body, Cast Brass Flat Lid, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, Wire Lead (60")

To add optional finish, add the suffix noted to the base part number. Example: GL300-BT-BLK for a GL300-BT with a black overcoat.





Part #	With No Lamp	Price \$	Finish Options	Price \$	With MR16 Lamp	Price \$
GL310		134.21	Standard (Aged Brass)		-LED4W (250lm)	165.59
			-BLK (Black Overcoat)	+0.00	-LED5W (310lm)	
					-LED6W (410lm)	172.80

Description: In-Ground Light, Cast Brass 360 Pattern, ABS Composite Body, Aged Brass Finish, Optional Black Overcoat, MR16 Socket (Lamp Not Included), Wire Lead (60″)

To add optional finish or lamp, add the suffix noted to the base part number. Example: GL310-BLK-LED4W for a GL310 with a black overcoat and a 4W lamp. For additional beam angles see the lamps page 47.

Part #	Price \$	With LED Module	Finish Options	Price \$
GL310-bt	265.61	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: In-Ground Light, ABS Composite Body, Cast Brass Domed Lid, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, Wire Lead (60")

To add optional finish, add the suffix noted to the base part number. Example: GL310-BT-BLK for a GL310-BT with a black overcoat.

GL350



Part #	With No Lamp	Price \$	Finish Options	Price \$	With MR16 Lamp	Price \$
GL350		124.47	Standard (Aged Brass)	+0.00	-LED4W (250lm)	155.85
			-BLK (Black Overcoat)	+0.00	-LED5W (310lm)	
					-LED6W (410lm)	163.06

Description: In-Ground Light, ABS Composite Body, Cast Brass Shrouded Lid with Clear Lens, Aged Brass Finish, Optional Black Overcoat, MR16 Socket (Lamp Not Included), Wire Lead (60")

To add optional finish or lamp, add the suffix noted to the base part number. Example: GL350-BLK-LED4W for a GL350 with a black overcoat and a 4W lamp. For additional beam angles see the lamps page 47.

Part #	Price \$	With LED Module	Finish Options	Price \$
GL350-bt	255.86	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: In-Ground Light, ABS Composite Body, Cast Brass Shrouded Lid with Clear Lens, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, Wire Lead (60")

To add optional finish, add the suffix noted to the base part number. Example: GL350-BT-BLK for a GL350-BT in black overcoat.

GL360



Part #	With No Lamp	Price \$	Finish Options	Price \$	With MR16 Lamp	Price \$
GL360		124.47	Standard (Aged Brass)		-LED4W (250lm)	155.85
			-BLK (Black Overcoat)	+0.00	-LED5W (310lm)	
					-LED6W (410lm)	163.06

Description: In-Ground Light, ABS Composite Body, Cast Brass Grated Lid with Clear Lens, Aged Brass Finish, Optional Black Overcoat, MR16 Socket (Lamp Not Included), Wire Lead (60")

To add optional finish or lamp, add the suffix noted to the base part number. Example: GL360-BLK-LED4W for a GL360 with a black overcoat and a 4W lamp. For additional beam angles see the lamps page 47.

Part #	Price \$	With LED Module	Finish Options	Price \$
GL360-bt	255.86	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: In-Ground Light, ABS Composite Body, Cast Brass Grated Lid with Clear Lens, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, Wire Lead (60")

To add optional finish, add the suffix noted to the base part number. Example: GL360-BT-BLK for a GL360-BT in black overcoat.

GL370



Part #	With No Lamp	Price \$	Finish Options	Price \$	With MR16 Lamp	Price \$
GL370		124.47	Standard (Aged Brass)	+0.00	-LED4W (250lm)	155.85
			-BLK (Black Overcoat)	+0.00	-LED5W (310lm)	
					-LED6W (410lm)	163.06

Description: In-Ground Light, ABS Composite Body, Cast Brass Opposing Sides Lid with Clear Lens, Aged Brass Finish, Optional Black Overcoat, MR16 Socket (Lamp Not Included), Wire Lead (60")

To add optional finish or lamp, add the suffix noted to the base part number. Example: GL370-BLK-LED4W for a GL370 with a black overcoat and a 4W lamp. For additional beam angles see the lamps page 47.

Part #	Price \$	With LED Module	Finish Options	Price \$
GL370-bt	255.86	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: In-Ground Light, ABS Composite Body, Cast Brass Opposing Sides Lid with Clear Lens, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, Wire Lead (60")

To add optional finish, add the suffix noted to the base part number. Example: GL370-BT-BLK fora GL370-BT in black overcoat.

GL380



Part #	With No Lamp	Price \$	Finish Options	Price \$	With MR16 Lamp	Price \$
GL380		124.47	Standard (Aged Brass)	+0.00	-LED4W (250lm)	155.85
			-BLK (Black Overcoat)	+0.00	-LED5W (310lm)	
					-LED6W (410lm)	163.06

Description: In-Ground Light, ABS Composite Body, Cast Brass 180 Output with Clear Lens, Aged Brass Finish, Optional Black Overcoat, MR16 Socket (Lamp Not Included), Wire Lead (60")

To add optional finish or lamp, add the suffix noted to the base part number. Example: GL380-BLK-LED4W for a GL380 with a black overcoat and a 4W lamp. For additional beam angles see the lamps page 47.

Part #	Price \$	With LED Module	Finish Options	Price \$
GL380-bt	255.86	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: In-Ground Light, ABS Composite Body, Cast Brass 180 Output with Clear Lens, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, Wire Lead (60")

To add optional finish, add the suffix noted to the base part number. Example: GL380-BT-BLK for a GL380-BT in black overcoat.

GL390



G

Part #	With No Lamp	Price \$	Finish Options	Price \$	With MR16 Lamp	Price \$
GL390		124.47	Standard (Aged Brass)	+0.00	-LED4W (250lm)	155.85
			-BLK (Black Overcoat)	+0.00	-LED5W (310lm)	
					-LED6W (410lm)	163.06


Description: In-Ground Light, ABS Composite Body, Cast Brass 360 Pattern, Aged Brass Finish, Optional Black Overcoat, MR16 Socket (Lamp Not Included), Wire Lead (60")

To add optional finish or lamp, add the suffix noted to the base part number. Example: GL390-BLK-LED4W for a GL390 with a black overcoat and a 4W lamp. For additional beam angles see the lamps page 47.

Part #	Price \$	With LED Module	Finish Options	Price \$
GL390-bt	255.86	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: In-Ground Light, ABS Composite Body, Cast Brass 360 Pattern, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, Wire Lead (60")

To add optional finish, add the suffix noted to the base part number. Example: GL390-BT-BLK for a GL390-BT in black overcoat.



In-Ground Light Top, Cast Brass Shrouded Open Convex Lens, Aged Brass Finish, Optional Black Overcoat

GL160-TOP	Part #	Finish Options	Price \$
OTTEN	GL160- TOP	Standard (Aged Brass)	33.60
		-BLK (Black Overcoat)	

In-Ground Light Top, Cast Brass Grate-Protected Convex Lens, Aged Brass Finish, Optional Black Overcoat


GL180-TOP	Part #	Finish Options	Price \$
	GL180- TOP	Standard (Aged Brass)	33.60
		-BLK (Black Overcoat)	

In-Ground Light Top, Cast Brass 180° Pattern, Aged Brass Finish, Optional Black Overcoat



Part #	Finish Options	Price \$
GL150- TOP	Standard (Aged Brass)	16.54
	-BLK (Black Overcoat)	

In-Ground Light Top, Cast Brass Flat Lid and Body, Aged Brass Finish, Optional Black Overcoat




Part #	Finish Options	Price \$
GL170- TOP	Standard (Aged Brass)	33.60
	-BLK (Black Overcoat)	

In-Ground Light Top, Cast Brass Opposing Sides, Aged Brass Finish, Optional Black Overcoat



In-Ground Light Top, Cast Brass 360° Pattern, Aged Brass Finish, Optional Black Overcoat

To add optional finish, add the suffix noted to the base part number, Example; GL190-TOP-BLK for a black overcoat top.



In-Ground Light Top, Cast Brass Flat Lid, Aged Brass Finish, Optional Black Overcoat

GL350- TOP -BLK (Black Overcoat) 54.24	GL350-TOP	Part #	Finish Options	Price \$
			(Aged Brass) -BLK	54.24

In-Ground Light Top, Cast Brass Shrouded Open Convex Lens, Aged Brass Finish, Optional Black Overcoat

GL370-TOP	Part #	Finish Options	Price \$
	GL370- TOP	Standard (Aged Brass)	54.24
		-BLK (Black Overcoat)	

In-Ground Light Top, Cast Brass Opposing Sides, Aged Brass Finish, Optional Black Overcoat

GL390-TOP	Part #	Finish Options	Price \$
	GL390- TOP	Standard (Aged Brass)	54.24
		-BLK (Black Overcoat)	

In-Ground Light Top, Cast Brass 360° Pattern, Aged Brass Finish, Optional Black Overcoat

To add optional finish, add the suffix noted to the base part number. Example: GL390-TOP-BLK for black overcoat top.



Part #	Finish Options	Price \$
GL310- TOP	Standard (Aged Brass)	63.99
	-BLK (Black Overcoat)	

In-Ground Light Top, Cast Brass Domed Half Lid, Aged Brass Finish, Optional Black Overcoat

GL360-TOP	Part #	Finish Options	Price \$
	GL360- TOP	Standard (Aged Brass)	54.24
		-BLK (Black Overcoat)	

In-Ground Light Top, Cast Brass Grate-Protected Convex Lens, Aged Brass Finish, Optional Black Overcoat



Part #	Finish Options	Price \$
GL380- TOP	Standard (Aged Brass)	54.24
	-BLK (Black Overcoat)	

In-Ground Light Top, Cast Brass 180° Pattern, Aged Brass Finish, Optional Black Overcoat

SL100



Part #	With No Lamp	Price \$	Finish Options	Price \$	With G4 Lamp	Price \$
SL100		99.21	Standard (Aged Brass)	+0.00	-LED (200lm)	124.32
			-BLK (Black Overcoat)	+0.00		

Description: Hardscape Light, Cast Brass, 3.4" Diameter, Aged Brass Finish, Optional Black Overcoat, G4 Bi-Pin Socket (Lamp Not Included), Mounting Base Plate, Wire Lead (25')

To add optional finish or lamp, add the suffixes noted to the base part number. Example: SL100-BLK-LED for a SL100 in black overcoat with the LBIPIN-LED-200Im lamp included.



Part # W	Price \$	Finish Options	Price \$	With G4 Lamp	Price \$
SL150	88.97	Standard (Aged Brass)	+0.00	-LED (200lm)	114.08
		-BLK (Black Overcoat)	+0.00		



Description: Hardscape Light, Brass, 3.9" Width, Aged Brass Finish, Optional Black Overcoat, G4 Bi-Pin Socket (Lamp Not Included), Mounting Base Plate, Wire Lead (25')

To add optional lamp, add the suffixes noted to the base part number. Example: SL150-LED for a SL150 with the LBIPIN-LED-200Im lamp included.

SI	.25-	ΙFΓ	2
2	-23		-

Part #	Price \$	With LED Module	Finish Options	Price \$
SL25-LED	127.44	Integrated LED Module (2700k)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00




Description: Step Light, Brass Louvered Face Plate, 6" Width, Aged Brass Finish, Optional Black Overcoat, Integrated LED Module, Surface Mounted, Wire Lead (25')

To add optional finish, add the suffixes noted to the base part number. Example: SL25-LED-BLK for a SL25-LED in black overcoat.

Part #	Price \$	With LED Module	Finish Options	Price \$
SL25-bt	232.28	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: Step Light, Brass Louvered Face Plate, 6" Width, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, Surface Mounted, Wire Lead (25')

SL35-LED



Part #	Price \$	With LED Module	Finish Options	Price \$
SL35-LED	166.51	Integrated LED Module (2700k)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: Step Light, Brass Louvered Face Plate, 9" Width, Aged Brass Finish, Optional Black Overcoat, Integrated LED Module, Surface Mounted, Wire Lead (25')

To add optional finish, add the suffixes noted to the base part number. Example: SL35-LED-BLK for a SL35-LED in black overcoat.

Part #	Price \$	With LED Module	Finish Options	Price \$
SL35-bt	272.92	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: Step Light, Brass Louvered Face Plate, 9" Width, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, Surface Mounted, Wire Lead (25')

SL26-LED

Part #	Price \$	With LED Module	Finish Options	Price \$
SL26-LED	127.44	Integrated LED Module (2700k)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00



Description: Step Light, Brass Frosted Face Plate, 6" Width, Aged Brass Finish, Optional Black Overcoat, Integrated LED Module, Surface Mounted, Wire Lead (25')

To add optional finish, add the suffixes noted to the base part number. Example: SL26-LED-BLK for a SL26-LED in black overcoat.

SL36-LED

Part #	Price \$	With LED Module	Finish Options	Price \$	
SL36-LED	166.51	Integrated LED Module (2700k)	Standard (Aged Brass)	+0.00	
			-BLK (Black Overcoat)	+0.00	
Description: Step Light, Brass Frosted Face Plate, 9" Width, Aged Brass Finish, Optional Black Overcoat,					

Description: Step Light, Brass Frosted Face Plate, 9" Width, Aged Brass Finish, Optional Black Integrated LED Module, Surface Mounted, Wire Lead (25')

To add optional finish, add the suffixes noted to the base part number. Example: SL36-LED-BLK for a SL36-LED in black overcoat.

CI	65-	LED
SL	.05-	

9'


Part #	Price \$	With LED Module	Finish Options	Price \$
SL65-LED	88.37	Integrated LED Module (110Im)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00



Description: Ledge Light, Cast Brass Housing, 4" Width, Aged Brass Finish, Optional Black Overcoat, Integrated LED Module, Removable Mounting Plate, Wire Lead (10')

To add optional finish, add the suffixes noted to the base part number. Example: SL65-LED-BLK for a SL65-LED in black overcoat.

SL75-LED	Part #	Price \$	With LED Module	Finish Options	Price \$
	SL75-LED	104.37	Integrated LED Module (300lm)	Standard (Aged Brass)	+0.00
® <u> </u> ®				-BLK (Black Overcoat)	+0.00



Description: Ledge Light, Cast Brass Housing, 7" Width, Aged Brass Finish, Optional Black Overcoat, Integrated LED Module, Removable Mounting Plate, Wire Lead (10')

To add optional finish, add the suffixes noted to the base part number. Example: SL75-LED-BLK for a SL75-LED in black overcoat.

	SL85-LED		Part #	Price \$	With LED Module	Finish Options	Price \$
			SL85-LED	169.93	Integrated LED Module (380Im)	Standard (Aged Brass)	+0.00
					-BLK (Black Overcoat)	+0.00	
	î <u> </u>		•		ht, Cast Brass Housing, 12″ Width, Aged Bras e, Removable Mounting Plate, Wire Lead (10′		ercoat,


Integrated LED Module, Removable Mounting Plate, Wire Lead (10')

SL60-bt	Part #	Price \$	With LED Module	Finish Options	Price \$
	SL60-bt	185.41	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
				-BLK (Black Overcoat)	+0.00
9 - 8 8 - 9					



Description: Ledge Light, Brass Body, 5" Width, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, Surface Mounted, Wire Lead (25')

To add optional finish, add the suffix noted to the base part number. Example: SL60-BT-BLK for a SL60-BT in black overcoat.



Part #	With No Lamp	Price \$	Finish Options	Price \$	With G4 Lamp	Price \$
SL70		82.37	Standard (Aged Brass)	+0.00	-LED (200lm)	107.48
			-BLK (Black Overcoat)	+0.00		

Description: Step Light, Brass Body and Flange, 5" Width, Aged Brass Finish, Optional Black Overcoat, G4 Bi-Pin Socket (Lamp Not Included), Mounting Plate, Wire Lead (25')

To add optional lamp, add the suffix noted to the base part number. Example: SL70-BLK for a SL70 in black overcoat.

Part #	Price \$	With LED Module	Finish Options	Price \$
SL70-bt	185.41	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
	·		-BLK (Black Overcoat)	+0.00

Description: Step Light, Brass Body and Flange, 5" Width, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, Mounting Plate, Wire Lead (25')

SL80-bt

12"	
	bt

Part #	Price \$	With LED Module	Finish Options	Price \$
SL80-bt	237.23	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: Ledge Light, Brass Body, 5" Width, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, Surface Mounted, Wire Lead (25')

To add optional finish, add the suffix noted to the base part number. Example: SL80-BT-BLK for a SL60-BT in black overcoat.

POST50




Part #	With No Lamp	Price \$	Finish	Price \$	With G4 Lamp	Price \$
POST50		122.20	Standard (Aged Brass)	+0.00	-LED (200lm)	147.31
			-BLK (Black Overcoat)	+0.00		

Description: Post Light, Brass, Aged Brass Finish, Optional Black Overcoat, G4 Bi-Pin Socket (Lamp Not Included), Mounting Base Plate, 3.5" Width, Wire Lead (25')

To add optional lamp, add the suffixes noted to the base part number. Example: POST50-LED for a POST50 with the LBIPIN-LED-200Im lamp included.

POST100



	Part #	With No Lamp	Price \$	Finish	Price \$	With MR16 Lamp	Price \$
	POST100		596.53	Standard (Aged Brass)	+0.00	-LED4W (250lm)	627.91
				-BLK (Black Overcoat)	+0.00	-LED5W (310lm)	
>						-LED6W (410lm)	635.12

Description: Post Light, Brass, Aged Brass Finish, Optional Black Overcoat, MR16 Socket (Lamp Not Included), Mounting Base Plate, 7.75" Width, Wire Lead (25')

To add optional lamp, add the suffix noted to the base part number. Example: POST100-LED4W for a POST100 with a 4W lamp. For additional beam angles see the lamps page 47.

TAPE

TAPE-LED-15
TAPE-LED-30

Part #	Price \$	Product Length	Lumens
TAPE-LED-5FT	82.96	5′	350
TAPE-LED-15FT	248.89	15′	1,050
TAPE-LED-30FT	497.74	30'	2,100



Description: Hardscape LED Strip, Integrated LED Emitters, Surface Mountated, Wire Lead (10').

Part #	Price \$	Product Length	With LED Module
TAPE-BT-5FT	103.81	5′	Integrated bt Module (Bluetooth RGBW)
TAPE-BT-15FT	311.42	15′	Integrated bt Module (Bluetooth RGBW)



Hardscape LED Strip, Integrated LED Emitters, Surface Mounted, Wire Lead (10'). Bt Control Box Included. Conceal bt Control Box During installation.



Part #	Price \$	Product Length	Construction
TAPE-SLV-3	6.86	3'	Aluminum

Description: Hardscape Accessory, Aluminum Tape Sleeve (3'), Mounted Directly to Surface, Frosted Lens Included

WS350-bt



Part #	Price \$	With LED Module	Finish Options	Price \$
WS350-bt	299.25	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00
			-WHT (White Overcoat)	+0.00

Description: Wall Sconce Light, Cast Brass, Aged Brass Finish, Optional Black Overcoat, Integrated bt Module, Wire Lead (25')

To add optional finish, add the suffixes noted to the base part number. Example: WS350-BT-WHT for a WS350-BT in white overcoat.

UL100



Part #	With No Lamp	Price \$	Finish	Price \$	With MR16 Lamp	Price \$
UL100		223.07	Standard (Aged Brass)	+0.00	-LED4W (250lm) -LED5W (310lm)	254.45
					-LED6W (410lm)	261.66

Description: Underwater Light, Solid Cast Brass, Aged Brass Finish, MR16 Socket (Lamp Not Included), Heavy Brass Base, Waterproof Wire Lead (25')

To add optional lamp, add the suffix noted to the base part number. Example: UL100-LED4W for a UL100 with a 4W lamp. For additional beam angles see the lamps page 47.

Part #	With No Lamp	Price \$	Finish	Price \$	With MR16 Lamp	Price \$
UL100-50FT		254.42	Standard (Aged Brass)	+0.00	-LED4W (250lm) -LED5W (310lm)	285.80
					-LED6W (410lm)	293.01

Description: Underwater Light, Solid Cast Brass, Aged Brass Finish, MR16 Socket (Lamp Not Included), Heavy Brass Base, Waterproof Wire Lead (50')

Part #	Price \$	With LED Module	Finish	Price \$
UL100-bt	331.73	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00

Description: Underwater Light, Solid Cast Brass, Aged Brass Finish, Integrated bt Module, Heavy Brass Base, Waterproof Wire Lead (25')



Part #	Price \$	With LED Module	Finish	Price \$
UL395-LED	330.75	Integrated 1,200 Lumen LED Module (3000k)	Standard (Aged Brass)	+0.00

Description: Underwater Light, Solid Cast Brass, Aged Brass Finish, Integrated 1200 Lumen LED Included, Heavy Brass Base, Waterproof Wire Lead (25')

ML15-LED

	mm
0.75″	

Part #	Price \$	With LED Module	Finish Options	Price \$
ML15-LED	48.37	Integrated LED Module (2900k)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: Mini Light, Cast Brass, 0.75" Width, Aged Brass Finish, Optional Black Overcoat, Integrated LED Module, 6" Stainless Steel Stake, Wire Lead (10')

To add optional finish, add the suffixes noted to the base part number. Example: ML15-LED-BLK for a ML15-LED in black overcoat.

ML25-LED

>	Part #	Price \$	With LED Module	Finish Options	Price \$	
	ML25-LED 55.61 Integrated LED Module (2900k)		Standard (Aged Brass)	+0.00		
				-BLK (Black Overcoat)	+0.00	
Description: Mini Light, Cast Brass, 2.25" Width, Aged Brass Finish, Optional Black Overcoat, Integrated LED Module, 1" PVC Installation Sleeve, Wire Lead (10')					ted	
	To add optional finish, add the suffixes noted to the base part number. Example: ML25-LED-BLK for a ML25-LED in black overcoat.					

ML35-LED

2.25'

Part #	Price \$	With LED Module	Finish Options	Price \$
ML35-LED	57.53	Integrated LED Module (2900k)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00



Description: Mini Wall Mount Light, Cast Brass, 2.5" Width, Aged Brass Finish, Optional Black Overcoat, Integrated LED Module, Wall Plate, Wire Lead (10')

To add optional finish, add the suffixes noted to the base part number. Example: ML35-LED-BLK for a ML35-LED in black overcoat.

ML45-LED	Part #	Price \$	With LED Module	Finish Options
	ML55-LED	49.38	Integrated LED Module (2900k)	None



Description: Mini Marker Light, ____Construction, 0.9 Width, Integrated LED Module, Wire Lead (10')

0.9″

ML55-

		Price \$	With LED Module	Finish Options	Price \$
		49.38	Integrated LED Module (2900k)	Standard (Aged Brass)	+0.00
				-BLK (Black Overcoat)	+0.00



Description: Mini Marker Light, Cast Brass, 1.1" Width, Aged Brass Finish, Optional Black Overcoat, Integrated LED Module, Wire Lead (10')

To add optional finish, add the suffixes noted to the base part number. Example: ML55-LED-BLK for a ML55-LED in black overcoat.

ML65

Part #	With No Lamp	Price \$	Finish	Price \$	With MR8 Lamp	Price \$
ML65		69.95	Standard (Aged Brass)	+0.00	-LED (150lm)	119.33
			-BLK (Black Overcoat)	+0.00		



2.875'

Description: Mini Light, Cast Brass, 2.875" Width, Aged Brass Finish, Optional Black Overcoat, 5" Installation Tube, Wire Lead (10')

To add optional finish, add the suffixes noted to the base part number. Example: ML65-LED-BLK for a ML65-LED in black overcoat.

Price \$

+0.00

GOLF100



Part #	With No Lamp	Price \$	Finish	Price \$	With G4 Lamp	Price \$
GOLF100		217.06	Standard (Aged Brass)	+0.00	-LED (200lm)	242.17
			-BLK (Black Overcoat)	+0.00		

Description: Specialty Light, Solid Brass, Aged Brass Finish, Optional Black Overcoat, 45 Degree Angled Brass Riser, G4 Bi-Pin Socket (Lamp Not Included), Wire Lead (25')

To add optional lamp, add the suffixes noted to the base part number. Example: GOLF100-LED for a GOLF100 with the LBIPIN-LED-200Im lamp included.



bt

Part #	Price \$	With LED Module	Finish	Price \$
GOLF50-bt	291.87	Integrated bt Module (Bluetooth RGBW)	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00

Description: Specialty Light, Solid Brass, Aged Brass Finish, Optional Black Overcoat, 45 Degree Angled Brass Riser, Integrated bt Module, Wire Lead (25')



Part #	Price \$	Finish	Туре
тікі	237.36	Standard (Aged Brass)	Area Light Hat
		-BLK (Black Overcoat)	
TIKI-WICK	25.15	N/A	5 Replacement TIKI Wicks

Description: Specialty Area Hat, Brass, Aged Brass Finish, Optional Black Overcoat

Note: TIKI area light hat and ALSTEM60 sold separately.

ALSTEM60

Part #	With No Lamp	Price \$	Finish	Price \$	With G4 Lamp	Price \$
ALSTEM60		261.68	Standard (Aged Brass)	+0.00	-LED (200lm)	286.79
			-BLK (Black Overcoat)	+0.00		

Description: TIKI Light Stem, Cast Brass, Aged Brass Finish, Optional Black Overcoat, G4 Bi-Pin Socket (Lamp Not Included), Permapost Stake, Double Wire Lead (18" & 25')

To add optional lamp, add the suffixes noted to the base part number. Example: ALSTEM60-LED for a ALSTEM60 with the LBIPIN-LED-200Im lamp included.

POWER & CONTROL

IT2-150	Part #	Price \$	Smart Transformer Power Capacity	Construction
IT2-300	IT2-150	545.73	150 Watts	Heavy Duty Stainless Steel



Description: Intelligent Transformer, 150 Watt, Heavy-Duty Stai	inless-Steel, 3 Zoned Taps (14v Each), 3
Common Terminals, Grounded Power Cord (5')	

Part #	Price \$	Smart Transformer Power Capacity	Construction
IT2-300	619.88	300 Watts	Heavy Duty Stainless Steel

Description: Intelligent Transformer, 300 Watt, Heavy-Duty Stainless-Steel, 3 Zoned Taps (14v Each), 3 Common Terminals, Grounded Power Cord (5')

XF150
XF300
XF600

F150	Part #	Price \$	Power Capacity	Construction
F300	XF150	366.41	150 Watts	Heavy Duty Stainless Steel
=600				

Description: Transformer, 150 Watt, Heavy-Duty Stainless-Steel, 4 Taps (12v, 13v, 14v, 15v), 1 Common Terminal, Grounded Power Cord (5')

Part #	Price \$	Power Capacity	Construction
XF300	446.83	300 Watts	Heavy Duty Stainless Steel

Description: Transformer, 300 Watt, Heavy-Duty Stainless-Steel, 4 Taps (12v, 13v, 14v, 15v), 2 Common Terminals, Grounded Power Cord (5')

Part #	Price \$	Power Capacity	Construction
XF600	817.72	600 Watts	Heavy Duty Stainless Steel

Description: Transformer, 600 Watt, Heavy-Duty Stainless-Steel, 6 Taps (12v, 13v, 14v, 15v, 16v, 17v, 18v), 2 Common Terminals, Grounded Power Cord (5')

To add iTimerPro and create an XF PRO pack, add the suffix noted to the base part number. Example: XF150PRO for an XF150 with an iTimerPro.



POWER & CONTROL

iTimerPro

Part #	Price \$	120 Volt, 15 Amp Outputs	Construction
ITIMERPRO	168.53	1 Output	Black ABS Plastic
ITIMERPRO-DUO	187.96	2 Outputs	Black ABS Plastic

Description: App-Based Timer Control, Indoor / Outdoor Use, Bluetooth-Based, Wall Mounted, Grounded Power Cord (32")



iTimerPro-2	Part #	Price \$	120 Volt, 15 Amp Output	Construction
0	ITIMERPRO-2	168.53	1 Output	Black ABS Plastic



Description: App-Based Timer Control, Indoor / Outdoor Use, Bluetooth / WiFi-Based, Wall Mounted, Grounded Power Cord (32")

$\square \bigcirc$	
≝ 🍾 /	

Part #

PC

Photocell, Provides Dusk-to-Dawn	
Control	

Construction

Plastic

Price \$

51.69

Tiffcofio

TIMER

TIMER2 36.40 Plastic

Construction

Price \$

Part #

Mechanical Timer, Plugs into Outlet in XF Transformer

Note: This photocell is adapted to fit the Alliance XF series transformers.

Note: This TIMER is adapted to fit the Alliance XF series transformers.

POWER & CONTROL

TF150

[Part #	Price \$	Power Capacity	Construction
	TF150	138.01	150 Watts	Black ABS Plastic



Description: Transformer, 150 Watt, Plastic Housing, Tap (12v), On-Board Photocell and Timer, Grounded Power Cord (5')

TF200 TF300 Part #


TF200

Price \$

252.46

Power Capacity

200 Watts



Description: Transformer, 200 Watt, Stainless Steel, Tap (12v), On-Board Photocell and Digital Timer, Grounded Power Cord (5')

Part #	Price \$	Power Capacity	Construction
TF300	316.60	300 Watts	Heavy Duty Stainless Steel

Construction

Heavy Duty Stainless Steel

Description: Transformer, 300 Watt, Stainless Steel, 2 Taps (12v, 14v), 1 Common Terminal, On-Board Photocell and Digital Timer, Grounded Power Cord (5')

CS100 CS150

Part # Price \$ Parts Included		Price \$	Parts Included
	CS100	21.92	ABS Plastic Cap, PVC Tube, 2 Brass Connectors, & 2 Pre-Greased Plastic Caps
	CS150	8.87	2 Brass Connectors, & 2 Pre-Greased Plastic Caps




Description: Power & Control Accessory, PVC Housing, Buried Connection Point for Wiring

BT SYSTEM



Part #	Price \$	Operating Voltage	Construction
BTRE	51.86	10-14 Volts	Aged Brass Cap
BTRE-5PK	259.26		

Description: bt System Range Extender, Aged Brass Finish, External Antenna, LED Indicator Light, Slotted 8.5" Ground Stake, Wire Lead (5')



BTRE-SM	Part #	Price \$	Operating Voltage	Construction
	BTRE-SM	51.86	10-14 Volts	Black ABS Plastic




Description: bt System Surface Mounted Range Extender, LED Indicator Light, Mounting Ears for Attachment to Vertical Surfaces, Wire Lead (5')


BTRE-PLUGIN


N	Part # Price \$		Operating Voltage	Construction
	BTRE-PLUGIN	58.60	120 Volts	White Plastic



Description: bt System Indoor Range Extender, White, LED Indicator Light, 120v Grounded Receptacle








AL500 PG 8-9

AL550

PG 8-9



PL300-bt PG 7

IN-GROUND

WALL WASH

PG 10



PG 17

PG 13


FL200-bt PG 13

PG 18-20

PG 21-24

BT SYSTEM

HARDSCAPE





On board BT system capability is available on a wide selection of Alliance fixtures covering every possible landscape lighting need. Pricing information for each component is on the page noted below the product number.

Scan the QR code to download a copy of our BT System Installation Guide to plan the components needed for any installation.


FIXTURE ACCESSORIES

TREEMOUNT



Part #		Price \$	Construction		
TREEMOUNT 38.89 Cast Aluminum		38.89	Cast Aluminum		
Description: For attaching ½" threaded fixture to tree. Includes offset lag screws, nuts and washers Aluminum, Black Overcoat, 1/2" MPT, Junction Box Mount					

STAKE



Part #	Price \$	Construction	Size	Color
STAKE-P1	3.70	PVC Plastic	Standard	Standard (Brown)
STAKE-P2	4.97		Large	-BLK (Black)
STAKE-P3	9.90		Jumbo	

Description: Fixture Installation Accessory, Standard 8.5" Plastic Stake, Accepts 1/2" MPT Fixture

PERMAPOST	Part #	Price \$	Construction	Finish
-	PERMAPOST	109.11	Brass Locking Nut & Cap, PVC Plastic Body	Standard (Aged Brass)
				-BLK (Black Overcoat)
				^

Description: Deep Anchoring Permapost Stake, PVC Body, Brass Locking Nut and Cap, Aged Brass Finish, Optional Black Overcoat

MPT Fixture

RMB	Part #	Price \$	Finish Options	GUTTERMOUNT	Part #	Price \$	Finish
	RMB	24.12	Standard (Aged Brass)		GUTTERMOUNT	16.00	Standard (Aged Brass)
			-BLK (Black Overcoat)	0			-BLK (Black Overcoat)
	Brass, A	Aged Brass	3ase, Solid Finish, Optional ", Accepts 1/2"		Mounting Base		rs, Solid

Mounting Base for Gutters, Solid Brass, Aged Brass Finish, Optional Black Overcoat, 3.3" Length, Accepts 1/2" MPT Fixture

FIXTURE ACCESSORIES

L-ADAPTER



Part #	Price \$	Finish			
L-ADAPTER	26.02	Standard (Aged Brass)			
		-BLK (Black Overcoat)			
Fixture Installation Accessory, Cast Brass, Aged Brass Finish, Optional Black Overcoat, Paired with Riser to create Aimable Area Light, Accepts 1/2" MPT Fixture					

T-ADAPTER	

Part #	Price \$	Finish
T-ADAPTER	26.02	Standard (Aged Brass)
		-BLK (Black Overcoat)

Fixture Installation Accessory, Cast Brass, Aged Brass Finish, Optional Black Overcoat, Paired with Riser to create Dual-Head Accent Fixtures, Accepts 1/2" MPT Fixture

C-50	Part #	Price \$	Quantity	Construction
	A-LOC-50	77.52	50 Pieces	Blue ABS Plastic



Description: Locking Waterproof Connector with Crimp Sleeve, Container of 50

RISER6 RISER12 RISER18

[Part #	Price \$	Finish Options
	RISER6	22.17	Standard (Aged Brass) +0.00
[RISER12	33.90	-BLK (Black Overcoat) +0.00
	RISER18	43.27	

Description: Fixture Installation Accessory, Solid Brass, Aged Brass Finish, Optional Black Overcoat, Fixed Riser, Accepts 1/2" MPT Fixture

To add optional finish, add the suffixes noted to the base part number. Example: RISER12-BLK for a RISER12 in black overcoat.

FIXTURE ACCESSORIES

CGWL01-GRATE	Part #	Price \$	Finish Options	Price \$
	CGWL01-GRATE	88.05	Standard (Aged Brass)	+0.00
			-BLK (Black Overcoat)	+0.00



Description: In-Ground Light Top, Heavy Duty Brass Grated Lid, Aged Brass Finish Optional Black Overcoat


CGWL	02-TOP
CONF	02 101

Part #	Price \$	Finish Options	Price \$
CGWL02-TOP	88.05	Standard (Aged Brass)	+0.00
		-BLK (Black Overcoat)	+0.00



Description: In-Ground Light Top, Heavy Duty Brass Lid, Aged Brass Finish, Optional Black Overcoat

HEX LOUVERS	Part #	Price \$	Construction	Color
	HEXLOUVER-MR16	4.71	Aluminum	Standard (Black)
	HEXLOUVER-PAR36	7.35		



Description: Fixture Installation Accessory, Hex Louver, Aluminum, MR16 / PAR36 size, fits Alliance fixtures using a MR16 lamp / PAR36 lamp.

FROSTED LENS	

D LENS	Part #	Price \$	Construction
	MR16LENS-FROSTED	3.22	Frosted Flat Glass Lens
	PAR36LENS-FROSTED	6.05	



Description: Fixture Installation Accessory, Frosted Lens, Tempered Glass, MR-16 / PAR36 size, fits Alliance fixtures using a MR16 / PAR36 lamp.

DEMO KITS

DEMOKIT-8	Part #	Price \$	TF150 Transformer	BL200-LED	ALSTEM12-LED	AL100 Hats	Storage Case
	DEMOKIT-8	1,392.76	1	6	2	2	1

Description: DEMOKIT, (6) BL200-LED4W, (2) ALSTEM12-LED, (2) AL100, (1) TF150, (2) Wire Splitters, (12) Extra Connectors, Storage Case

DEMOKIT-8-bt

:	Part #	Price \$	TF150 Transformer	BL200-bt	ALSTEM12-bt	AL100 Hats	BTRE	Storage Case
	DEMOKIT-8-bt	2,051.37	1	6	2	2	1	1

Description: DEMOKIT, (6) BL200-BT, (2) ALSTEM12-BT, (2) AL100, (1) BTRE, (1) TF150, (2) Wire Splitters, (12) Extra Connectors, Storage Case

LAMPS

BT-ALLY-MR16

6	Part #	Price \$	Wattage	Beam Angle	Delivered Lumens	Color Temp.
	BT-ALLY-MR16	90.74	2w - 4w	40° Flood	10 - 430 Lumens	Adjustable White 2700K-5000K or RGBW Presets or Custom



Description: MR16 RGBW CCT Lamp, bt System App-Controlled, 40 Degree Flood, 10 - 430 Lumens, 2700K - 4000K, White Base

BT-ALLY-PAR3	6

5	Part #	Price \$	Wattage	Beam Angle	Delivered Lumens	Color Temp.	Base Color
	BT-ALLY-PAR36	178.03	2w - 7w	45° Flood	15 - 460 Lumens	Adjustable White 2700K-5000K or RGBW Presets or Custom	Red



Description: PAR36 RGBW CCT Lamp, bt System App-Controlled, 45 Degree Flood, 15 - 460 Lumens, 2700K - 4000K, Red Base

BT-ALLY-G4	Part #	Price \$	Wattage	Beam Angle	Delivered Lumens	Color Temp.	Base Color
\square	BT-ALLY-G4	90.74	1w - 2.5w	360° Flood	10 - 250 Lumens	Adjustable White 2700K-5000K or RGBW Presets or Custom	White
UT bt	Description: G- - 4000K, Whit		CCT Lamp,	bt System App	o-Controlled, 360 De	gree Flood, 10 - 250 Lumer	ns, 2700K

BT-ALLY-A19	Part #	Price \$	Wattage	Beam Angle	Delivered Lumens	Color Temp.	Base Color
	BT-ALLY-19	99.95	8w	220° wide angle	10 - 800 Lumens	Adjustable White 2700K-5000K or RGBW Presets or Custom	White
bt	Description: 12				/stem App-Controlle	d, 220 Degree Flood, 10 - 8	300

Description: 120 Volt A19 RGBW CCT Lamp, bt System App-Controlled, 220 Degree Flood, 10 - 800 Lumens, 2700K - 4000K, White Base

MR8 LED	Part #	Price \$	Wattage	Delivered Lumens	Color Temp.	Beam Angle
	LMR8-LED-4W-F	49.38	2W	150 Lumens	2900K	45° Flood



MR11 LED	Part #	Price \$	Wattage	Delivered Lumens	Color Temp.	Beam Angle
	LMR11-LED-4W-F	38.59	4W	175 Lumens	2900K	45° Flood



MR16 LED

Part #	Price \$	Wattage	Beam Angle	Delivered Lumens	Color Temp.	Base Color
LMR16-LED-4W-NS	31.38	4w	Narrow Spot (15°)	250 Lumens	2900K	Black
*LMR16-LED-4W-F	31.38	4w	Flood (45°)	250 Lumens	2900K	Black
LMR16-LED-4W-WF	31.38	4w	Wide Flood (60°)	250 Lumens	2900K	Black
LMR16-LED-250lm	31.38	4w	Flood (45°)	250 Lumens	2900K	Black
LMR16-LED-4W-2700K	31.38	4w	Flood (45°)	250 Lumens	2700K	Black
LMR16-LED-5W-NS	31.38	5w	Narrow Spot (15°)	310 Lumens	2900K	White
*LMR16-LED-5W-F	31.38	5w	Flood (45°)	310 Lumens	2900K	White
LMR16-LED-5W-WF	31.38	5w	Wide Flood (60°)	310 Lumens	2900K	White
LMR16-LED-310lm	31.38	5w	Flood (45°)	310 Lumens	2900K	White
LMR16-LED-5W-2700K	31.38	5w	Flood (45°)	310 Lumens	2700K	White
*LMR16-LED-6W-F	38.59	6w	Flood (45°)	410 Lumens	2900K	Blue
LMR16-LED-6W-2700K	38.59	6w	Flood (45°)	410 Lumens	2700K	Blue

PAR36 LED



Part #	Price \$	Wattage	Beam Angle	Delivered Lumens	Color Temp.	Base Color
LPAR36-LED-4W-F	87.08	4w	Flood (20°)	250 Lumens	2800K	Gray
*LPAR36-LED-4W-WF	87.08	4w	Wide Flood (40°)	250 Lumens	2800K	Gray
LPAR36-LED-8W-F	103.27	8w	Flood (20°)	300 Lumens	2800K	Black
*LPAR36-LED-8W-WF	103.27	8w	Wide Flood (40°)	300 Lumens	2800K	Black
LPAR36-LED-10W-F	120.05	10w	Flood (30°)	400 Lumens	2800K	Blue
*LPAR36-LED-10W-WF	120.05	10w	Wide Flood (45°)	400 Lumens	2800K	Blue
LPAR36-LED750lm	120.05	10w	Flood (30°)	750 Lumens	2800K	Light Blue

G4 BIPIN LED

66	T)	
00		
Ð	וונוע	
6	514	
$ \neg $	7	
ų	Ų	

Part #	Price \$	Wattage	Beam Angle	Delivered Lumens	Color Temp.
*LBIPIN-LED-200lm	25.11	2.5w	Full (360°)	200 Lumens	2700K
LBIPIN-LED-250lm	25.11	3w	Full (360°)	250 Lumens	2700K
LBIPIN-LED-350lm	25.11	3.5w	Full (360°)	350 Lumens	2700K

LAMPS

3156 WEDGE LED

Part #	Price \$	Wattage	Beam Angle	Delivered Lumens	Color Temp.
L3156-LED-200lm	25.11	2.5w	Full (360°)	200 Lumens	2700K
L3156-LED-250lm	25.11	3w	Full (360°)	250 Lumens	2700K



T5 WEDGE	Part #	Price \$	Wattage	Beam Angle	Delivered Lumens	Color Temp.
LED	L921T5-LED-200lm	25.11	2.5w	Full (360°)	200 Lumens	2700K



BAYONET LED



Part #	Price \$	Wattage	Beam Angle	Delivered Lumens	Color Temp.
LBA15S-LED-200Im (Single Contact)	25.11	2.5w	Full (360°)	200 Lumens	2700K
LBA15D-LED-200lm (Dual Contact)	25.11	2.5w	Full (360°)	200 Lumens	2700K

* = Standard lamp included when beam angle is not specified in part number.

MARKETING MATERIAL

Part #	Description	Category	Qty.
	Literature		
MKT_CAT2025	2025 Product Catalog	Literature	20
MKT_AFPG2025	2025 Accordion Fold Product Guide	Literature	25
MKT_PRO_CAT_2025	2025 Pro Series Catalog	Literature	10
MKT_LPG2025	2025 List Price Guide	Literature	10
MKT_HTG2024	2024 bt How-to Guide	Literature	10
MKT_ESP_BTHTG2024	2024 bt How-to Guide (Spanish)	Literature	10
MKT_IT2QSG	IT2 Quick Start Guide	Literature	N/A
MKT_ESP_IT2QSG	IT2 Quick Start Guide (Spanish)	Literature	10
MKT_BTALLY_RFG	bt ALLY Retrofit Guide	Literature	10
MKT_SEMBOOKLET	2024 bt Training Handbook for Seminars	Literature	10
MKT_IT2PRO-TBLGDE	IT PRO App Troubleshoot Guide	Literature	N/A
	Flyers		
MKT_ALLYFYR	bt-ALLY Series Product Sales Sheet	Flyer	1
MKT_BLKFYR	Product Literature, Black Overcoat Fixture Product Sales Sheet	Flyer	1
MKT_HSCFYR	Product Literature, Heavy Sand-Cast Fixture Product Sales Sheet	Flyer	1
MKT_IT2FYR	Product Literature, it2 Transformer Product Sales Sheet	Flyer	1
MKT_ALLYFYR	Product Literature, bt-ALLY Series Product Sales Sheet	Flyer	1
MKT_GOLFFYR	Product Literature, GOLF50-bt Product Sales Sheet	Flyer	1
MKT_PRO-CS	PRO Series Cut Sheet	Flyer	1
MKT_BTRE_FYR	BTRE Flyer	Flyer	1
MKT_DBL_FYR	Double Wire Lead Flyer	Flyer	1
MKT_MNT_FYR	Fixture Mounting Options Flyer	Flyer	1
MKT_HLOFYR	High Lumen Options Flyer	Flyer	1
MKT_HPFYR	English & Spanish Half-Page Flyer - Grow your business promo	Flyer	1
MKT_IT2FYR	IT2 Transformer Flyer	Flyer	1
MKT_DR_HNGR	Custom Door Hanger	Flyer	1
MKT_AOL_DR_HNGR	Door Hanger with Business Card Placeholder	Flyer	1
MKT_DYKREG_QR	Do You Know Registration QR Code	Flyer	1

*Items with "N/A" in "Qty." section are local print only. We do not ship those items.

MARKETING MATERIAL

Part #	Price \$ Description	Category	Qty.
	Display Materials		
MKT_SIGN_BT_SYST	BT System Demo Aluminum Sign	Displays	1
MKT_SHOWBAG	Marketing Swag, 16" Width, 14" Height, Blue Tote Bag, Alliance Logo	Displays	1
MKT_CMAT_KIT	3 Counter Mats, 20" Width, 16" Height, Aged Brass Fixture Family, Black Overcoat Fixture Family, Power & Control	Displays	1
MKT_DIS-SF	Product Display Bracket, Single Fixture, Aluminum Construction, 1 Pre-drilled hole (Accepts 1/2" MPT thread), Slat Wall Insert	Displays	1
MKT_DIS-SW	Counter Top Product Display, Wood Laminate Construction, 24" Width, 4" Height, 8" Depth, 5 Pre-drilled Staggered Holes (Accepts 1/2" MPT thread), Includes Slat Wall Brackets	Displays	1
MKT_SWD-SIGN	Signage, 13" Width, 3.5" Height, Aluminum Sign, Blue, Alliance Logo for Slat Wall Displays	Displays	1
MKT_SIGN_AOL	Signage, 18" Width, 6" Height, Aluminum Sign, Blue, Alliance Logo	Displays	1
MKT_SIGN_AOL2	Signage, 24" Width, 12" Height, Aluminum Sign, Blue, Alliance Logo	Displays	1
MKT_SIGN_BLK	Signage, 24" Width, 12" Height, Aluminum Sign, Black Overcoat	Displays	1
MKT_BNR_AOL	Signage, 5' Width, 3' Height, Vinyl Grommeted Banner, Blue, Alliance Logo	Displays	1
MKT_DECAL	Outdoor Vehicle Decal, UV-Resistant, Blue, Alliance Logo	Displays	1
MKT_TBL_SKRT	Table Skirt, for 6′ Tables, Blue, Alliance Logo	Displays	1
MKT_IT2_PU_BANNER	Signage, Retractable Pull Up Banner, 33" Width, 79" Height, it2 Transformer Promotion	Displays	1
MKT_FLR_STKR_ARROW	ALLIANCE Arrow Floor Sticker	Displays	1
	Miscellaneous		
MKT_SEM_CERT	Seminar Certificate	Miscellaneous	N/A
MKT_REG_CARD	Seminar Participation Card	Miscellaneous	N/A

*Items with "N/A" in "Qty." section are local print only. We do not ship those items.

WARANTY

Alliance Outdoor Lighting warrants its products against defects in material and workmanship. Without charge, Alliance Outdoor Lighting will either repair or replace (Alliance Outdoor Lighting reserves the right to decide between repair or replacement) any properly installed Alliance Outdoor Lighting product that fails under normal operating conditions within the specified warranty period. Damage due to acts of nature, such as, but not limited to, lightning, flooding, explosions and earthquakes, are not covered.

PRODUCT WARRANTY DETAILS

BRASS, COPPER & BRONZE FIXTURES:

All have a lifetime warranty for all castings and housings.

IT2 SERIES TRANSFORMERS: All IT2 series transformers carry a lifetime warranty on enclosures. All transformer windings carry a lifetime warranty.

XF SERIES TRANSFORMERS:

All XF series transformers carry a lifetime warranty on enclosures. All transformer windings carry a lifetime warranty.

TF SERIES TRANSFORMERS: 2 year warranty.

BT AND INTEGRATED LED FIXTURES All Alliance LED integrated fixtures carry a 10 year warranty.

BT AND LED LAMPS: 10 year warranty.

ITIMERPRO: 10 year warranty.

TIMERS AND PHOTOCELLS: Do not carry a warranty.

All products are warranted from the date of invoice, provided it is returned to the Alliance Outdoor Lighting distributor from where it is purchased. Our factory inspection determines it to be defective under the terms of the warranty. This warranty covers only equipment manufactured by Alliance Outdoor Lighting and does not extend to transportation, installation, labor compensation, or replacement charges, nor does it apply to any equipment of another manufacturer used in conjunction with Alliance Outdoor Lighting equipment.

NOTE: All Alliance Outdoor Lighting products are designed to be repaired in the field by a qualified lighting installer. All service parts are readily available and we encourage field repairs as a significant cost and labor savings which can be realized by the installer. All warranted components, as stated in the above warranty, which are installed in the field, will be honored.





